

نوری به زیبایی لبخند

A Light As Beautiful As A Smile

Waterproof Lights / 2026



ES ESlight

ارتقا صنعت نور
ERTEGHA SANAT NOOR

At ES LIGHT, quality is our promise and we back it with a 5-Year Golden Guarantee on all our waterproof lighting products. This extended guarantee reflects our full confidence in the durability, reliability, and performance of our solutions. It covers all manufacturing defects and ensures long-term peace of mind for our customers. Built with precision using advanced technology and strict quality control, ES LIGHT products are made to last and our 5-year golden guarantee is proof of that commitment.

Golden Guarantee



About ESlight

With over 20 years experience at the lighting and illumination industry, Ertegha Sanat Noor is proud of manufacturing high-tech products according to cutting age global knowledges and international standards.

ES Industrial Group is able to produce the superior quality in really competitive prices for the advantage of having facilities such as design Laser cutting, CNC machining, Plastic injection, Electrostatic Painting in the factory and thanks to skilled Staff, We offer five years Guarantee.

We hope ES can contribute its small share in beautifying your living space by your kind support and our continued efforts.

1.

Waterproof Lights

Negin Series

Waterproof Lights



Waterproof Lights



3 Watt Well Light

QD3-3W



Power	Current	Voltages	Dimension	LED Colors	Frame Material	Surface Material	Gland Material	Protection Rating
3 W	0.3 A	12-24 V 220 V	ø: 10.5 cm H: 6 cm		Aluminum 5 mm	Steel 304	Steel	IP68
3x3 W	0.9 A							

6 Watt Well Light

QD6-6W



Power	Current	Voltages	Dimension	LED Colors	Frame Material	Surface Material	Gland Material	Protection Rating
6 W	0.6 A	12-24 V 220 V	ø: 14 cm H: 6 cm		Aluminum 5 mm	Steel 304	Steel	IP68
6x3 W	1.8 A							



Negin Series
Waterproof Lights

Negin Series
Waterproof Lights



3 Watt Pedestal Light

P3-3W



Power	Current	Voltages	Dimension	LED Colors	Base Material	Surface Material	Gland Material	Protection Rating
3 W	0.3 A	12-24 V 220 V	ø: 9.5 cm H: 6 cm		Aluminium	Steel 304	Steel	IP68
3x3 W	0.9 A							

6 Watt Pedestal Light

P6-6W



Power	Current	Voltages	Dimension	LED Colors	Base Material	Surface Material	Gland Material	Protection Rating
6 W	0.6 A	12-24 V 220 V	ø: 12.5 cm H: 6 cm		Aluminium	Steel 304	Steel	IP68
6x3 W	1.8 A							





9 Watt Well Light

QD9-9W



Power	Current	Voltages	Dimension	LED Colors	Frame Material	Surface Material	Gland Material	Protection Rating
9 W	0.9 A	12-24 V 220 V	ø: 16 cm H: 6 cm		Aluminum 5 mm	Steel 304	Steel	IP68
9×3 W	2.5 A							

12 Watt Well Light

QD12-12W



Power	Current	Voltages	Dimension	LED Colors	Frame Material	Surface Material	Gland Material	Protection Rating
12 W	1.2 A	12-24 V 220 V	ø: 16 cm H: 6 cm		Aluminum 5 mm	Steel 304	Steel	IP68
12×3 W	3 A		ø: 22.5 cm H: 6 cm					



Negin Series
Waterproof Lights

Negin Series
Waterproof Lights



9 Watt Pedestal Light

P9-9W



Power	Current	Voltages	Dimension	LED Colors	Base Material	Surface Material	Gland Material	Protection Rating
9 W	0.9 A	12-24 V 220 V	ø: 15 cm H: 6 cm		Aluminium	Steel 304	Steel	IP68
9×3 W	2.5 A							

12 Watt Pedestal Light

P12-12W



Power	Current	Voltages	Dimension	LED Colors	Base Material	Surface Material	Gland Material	Protection Rating
12 W	1.2 A	12-24 V 220 V	ø: 15 cm H: 6 cm		Aluminium	Steel 304	Steel	IP68
12×3 W	3 A		ø: 22.5 cm H: 6 cm					





18 Watt Well Light

QD18-18W



Power	Current	Voltages	Dimension	LED Colors	Frame Material	Surface Material	Gland Material	Protection Rating
18 W	1.8 A	12-24 V 220 V	ø: 22.5 cm H: 6 cm		Aluminum 5 mm	Steel 304	Steel	IP68
18x3 W	5 A							

24 Watt Well Light

QD24-24W



Power	Current	Voltages	Dimension	LED Colors	Frame Material	Surface Material	Gland Material	Protection Rating
24 W	2.4 A	12-24 V 220 V	ø: 22.5 cm H: 6 cm		Aluminum 5 mm	Steel 304	Steel	IP68



Negin Series
Waterproof Lights

Negin Series
Waterproof Lights



18 Watt Pedestal Light

P18-18W



Power	Current	Voltages	Dimension	LED Colors	Base Material	Surface Material	Gland Material	Protection Rating
18 W	1.8 A	12-24 V 220 V	ø: 21 cm H: 6 cm		Aluminium	Steel 304	Steel	IP68
18x3 W	5 A							

24 Watt Pedestal Light

P24-24W



Power	Current	Voltages	Dimension	LED Colors	Base Material	Surface Material	Gland Material	Protection Rating
24 W	2.4 A	12-24 V 220 V	ø: 21 cm H: 6 cm		Aluminium	Steel 304	Steel	IP68



2.

Waterproof
Wallwasher
Lights
**Negin
Series**

Waterproof Lights



Waterproof Lights



3 Watt In-Ground Wallwasher

VD3-3W



Power	Current	Voltages	Dimension	LED Colors	Frame Material	Surface Material	Gland Material	Protection Rating
3 W	0.3 A	12-24 V 220 V	L: 12.5 cm W: 8 cm H: 7cm		Aluminum 5 mm	Steel 304	Steel	IP68
3×3 W	0.9 A							

6 Watt In-Ground Wallwasher

VD6-6W



Power	Current	Voltages	Dimension	LED Colors	Frame Material	Surface Material	Gland Material	Protection Rating
6 W	0.6 A	12-24 V 220 V	L: 22 cm W: 9 cm H: 7cm		Aluminum 5 mm	Steel 304	Steel	IP68
6×3 W	1.8 A							



3 Watt Pedestal Wallwasher

VP3-3W



Power	Current	Voltages	Dimension	LED Colors	Base Material	Surface Material	Gland Material	Protection Rating
3 W	0.3 A	12-24 V 220 V	L: 11 cm W: 7 cm H: 7cm		Aluminium	Steel 304	Steel	IP68
3×3 W	0.9 A							

6 Watt Pedestal Wallwasher

VP6-6W



Power	Current	Voltages	Dimension	LED Colors	Base Material	Surface Material	Gland Material	Protection Rating
6 W	0.6 A	12-24 V 220 V	L: 21 cm W: 8 cm H: 7cm		Aluminium	Steel 304	Steel	IP68
6×3 W	1.8 A							





9 Watt In-Ground Wallwasher

VD9-9W



Power	Current	Voltages	Dimension	LED Colors	Frame Material	Surface Material	Gland Material	Protection Rating
9 W	0.9 A	12-24 V 220 V	L: 37 cm W: 9 cm H: 7cm		Aluminum 5 mm	Steel 304	Steel	IP68
9×3 W	2.5 A							

12 Watt In-Ground Wallwasher

VD12-12W



Power	Current	Voltages	Dimension	LED Colors	Frame Material	Surface Material	Gland Material	Protection Rating
12 W	1.2 A	12-24 V 220 V	L: 37 cm W: 9 cm H: 7cm		Aluminum 5 mm	Steel 304	Steel	IP68
12×3 W	3 A							



Negin Series
Waterproof Lights

Negin Series
Waterproof Lights



9 Watt Pedestal Wallwasher

VP9-9W



Power	Current	Voltages	Dimension	LED Colors	Base Material	Surface Material	Gland Material	Protection Rating
9 W	0.9 A	12-24 V 220 V	L: 35.5 cm W: 8 cm H: 7cm		Aluminum	Steel 304	Steel	IP68
9×3 W	2.5 A							

12 Watt Pedestal Wallwasher

VP12-12W



Power	Current	Voltages	Dimension	LED Colors	Base Material	Surface Material	Gland Material	Protection Rating
12 W	1.2 A	12-24 V 220 V	L: 35.5 cm W: 8 cm H: 7cm		Aluminum	Steel 304	Steel	IP68
12×3 W	3 A							



3.

Waterproof
Fountain Lights

Negin Series

Waterproof Lights



Waterproof Lights



6 Watt Fountain Light

SN6-6W

9 Watt Fountain Light

SN9-9W



Power	Current	Voltages	Dimension	LED Colors	Surface Material	Gland Material	Protection Rating	Base Material
6 W	0.6 A	12-24 V	Inner Diameter: 1-5 cm Outer Diameter: 20 cm Height: 6cm		Steel 304	Steel	IP68	Aluminum
6×3 W	1.8 A							

Power	Current	Voltages	Dimension	LED Colors	Surface Material	Gland Material	Protection Rating	Base Material
9 W	0.9 A	12-24 V	Inner Diameter: 1-5 cm Outer Diameter: 20 cm Height: 6cm		Steel 304	Steel	IP68	Aluminum
9×3 W	2.5 A							

4.

Pool and
Outdoor

Azin Series

Waterproof Lights



Waterproof Lights

9 Watt Well Light

QDS9-9W



18 Watt Well Light

QDS18-18W



9 Watt Flat Pool Light

FPL9-9W



18 Watt Flat Pool Light

FPL18-18W



Power	Current	Voltages	Dimension	LED Colors	Ring Material	Gland Material	Surface Material	Protection Rating
9 W	1 A	12 V	ø: 11.5 cm H: 4 cm		Aluminum		Aluminum Steel	IP68
9×3 W	1.5 A							
18 W	1.5 A	12 V	ø: 16.2 cm H: 4 cm		Aluminum		Aluminum Steel	IP68
18×3 W	3 A							

Power	Current	Voltages	Dimension	LED Colors	Ring Material	Gland Material	Surface Material	Protection Rating
9 W	1 A	12 V	ø: 14 cm H: 4 cm		Aluminum		Aluminum Steel	IP68
9×3 W	1.5 A							
18 W	1.5 A	12 V	ø: 20 cm H: 4 cm		Aluminum		Aluminum Steel	IP68
18×3 W	3 A							

36 Watt Well Light

QDS36-36W



36 Watt Flat Pool Light

FPL36-36W



Power	Current	Voltages	Dimension	LED Colors	Ring Material	Gland Material	Surface Material	Protection Rating
36 W	3.6 A	12 V	ø: 22.5 cm H: 4 cm		Aluminum		Aluminum Steel	IP68
36×3 W	5 A							

Power	Current	Voltages	Dimension	LED Colors	Ring Material	Gland Material	Surface Material	Protection Rating
36 W	3.6 A	12 V	ø: 26.7 cm H: 4 cm		Aluminum		Aluminum Steel	IP68
36×3 W	5 A							

5.

Water Proof Facade Lights

Waterproof Lights



Waterproof Lights



3 Watt Spot Light

ES-J3



Model	Power	Voltages	Dimension	LED Colors	Number Of LEDs	Body Color	Body Material	Gland Material	Protection Rating
ES-J3	3W	220 V	ø: 4 cm H: 10.4 cm		1	Black Cream	Aluminum	Aluminum	IP67

10 Watt Spot Light

ES-J10



Model	Power	Voltages	Dimension	LED Colors	Number Of LEDs	Body Color	Body Material	Gland Material	Protection Rating
ES-J10	10W	220 V	ø: 8.5 cm H: 16 cm		1	Black Cream	Aluminum	Steel	IP67

Waterproof Lights



5 Watt - 3 Watt Qubic Wall Light

ES-D3 3W
ES-D5 5W



Model	Power	Voltages	Dimension	LED Colors	Number Of LEDs	Body Color	Body Material	Protection Rating
ES-D5	5W	220 V	L: 6.8 cm W:4.6 cm H:3.7 cm		4	Black Cream	Aluminum	IP67
ES-D3	3W	220 V	L: 6.8 cm W:4.6 cm H:3.7 cm		1	Black Cream	Aluminum	IP67



2 Way Wall Light

ES D6



Model	Power	Voltages	Dimension	LED Colors	Number Of LEDs	Body Color	Body Material	Protection Rating
ES-D6	6W	220 V	A:9.5 H:4.5		8	Black Cream	Aluminum	IP67

4 Way Wall Light

ES D12



Waterproof Lights



6 Watt Wallwasher

ES-WS6 6W



Model	Power	Voltages	Dimension	LED Colors	Number Of LEDs	Body Color	Body Material	Gland Material	Protection Rating	Vent Material
ES-WS6	6W	220 V	L: 9.5 cm W: 5 cm H: 6.5 cm		7	Black Cream	Aluminum	Steel	IP67	Plastic

Royal Series
Waterproof Lights

18 Watt Wallwasher

ES-WS18 18W



Model	Power	Voltages	Dimension	LED Colors	Number Of LEDs	Body Material	Gland Material	Protection Rating	Vent Material
ES-WS18	18W	220 V	L: 24 cm W: 5 cm H: 6.5 cm		21	Aluminum	Steel	IP67	Plastic



Royal Series
Waterproof Lights



12 Watt Wallwasher

ES-WS12 12W



Model	Power	Voltages	Dimension	LED Colors	Number Of LEDs	Body Material	Gland Material	Protection Rating	Vent Material
ES-WS12	12W	220 V	L: 17cm W: 5 cm H: 6.5 cm		14	Aluminum	Steel	IP67	Plastic

24 Watt Wallwasher

ES-WS24 24W



Model	Power	Voltages	Dimension	LED Colors	Number Of LEDs	Body Material	Gland Material	Protection Rating	Vent Material
ES-WS24	24W	220 V	L: 33 cm W: 5 cm H: 6.5 cm		28	Aluminum	Steel	IP67	Plastic





36 Watt Wallwasher

ES-WS36 36W



Model	Power	Voltages	Dimension	LED Colors	Number Of LEDs	Body Material	Gland Material	Protection Rating	Vent Material
ES-WS36	36W	220 V	L:50 cm W:5 cm H:6.5 cm		49	Aluminum	Steel	IP67	Plastic

Royal Series
Waterproof Lights



72 Watt Wallwasher

ES-WS72 72W



Model	Power	Voltages	Dimension	LED Colors	Number Of LEDs	Body Material	Gland Material	Protection Rating	Vent Material
ES-WS72	72W	220 V	L: 100 cm W:5 cm H:6.5 cm		98	Aluminum	Steel	IP67	Plastic

3 Watt Wallwasher

ES-W3 3W



Model	Power	Voltages	Dimension	LED Colors	Number Of LEDs	Body Material	Gland Material	Protection Rating	Vent Material
ES-W3	3W	220 V	L: 9.5 cm W:5 cm H:6.5 cm		3	Aluminum	Steel	IP67	Plastic



6 Watt Wallwasher

ES-W6 6W



Model	Power	Voltages	Dimension	LED Colors	Number Of LEDs	Body Material	Gland Material	Protection Rating	Vent Material
ES-W6	6W	220 V	L: 17.7 cm W:5 cm H:6.5 cm		6	Aluminum	Steel	IP67	Plastic



Luna Series
Waterproof Lights



9 Watt Wallwasher

ES-W9 9W



Model	Power	Voltages	Dimension	LED Colors	Number Of LEDs	Body Material	Gland Material	Protection Rating	Vent Material
ES-W9	9W	220 V	L: 24.7 cm W:5 cm H:6.5 cm		9	Aluminum	Steel	IP67	Plastic



18 Watt Wallwasher

ES-W18 18W



Model	Power	Voltages	Dimension	LED Colors	Number Of LEDs	Body Material	Gland Material	Protection Rating	Vent Material
ES-W18	18W	220 V	L: 50 cm W:5 cm H:6.5 cm		18	Aluminum	Steel	IP67	Plastic



12 Watt Wallwasher

ES-W12 12W



Model	Power	Voltages	Dimension	LED Colors	Number Of LEDs	Body Material	Gland Material	Protection Rating	Vent Material
ES-W12	12W	220 V	L: 33 cm W:5 cm H:6.5 cm		12	Aluminum	Steel	IP67	Plastic



24 Watt Wallwasher

ES-W24 24W



Model	Power	Voltages	Dimension	LED Colors	Number Of LEDs	Body Material	Gland Material	Protection Rating	Vent Material
ES-W24	24W	220 V	L: 100 cm W:5 cm H:6.5 cm		24	Aluminum	Steel	IP67	Plastic

6.

New
Product

New Product
Waterproof Lights



New Product
Waterproof Lights



Noora 6 Watt Round Flood Light

ES-RS6



Aris Strip Light

SL-P120



Model	Power	Voltages	Beam Angle	Protection Rating	Gland Material	Vent Material	Led	Dimension	LED Colors
ES-RS6	6W	220 V	30-60	IP67	Steel	Steel	7	ø:80 mm H:100 mm	

Model	Dimension	Power	Voltages	LED Chip	LED Quantity	LED Colors	Cuttable Each	Protection Rating	Lumen/Meter
SL-P120	H: 7 mm W:14 mm	10 W/m	220 V	2835	120 D/m	7500K - 4000K 3000K - 1500K	20 cm	IP65	1200 Super high Lumen

ORIT Model Super High Lumen SMD 100W Projector



Outdoor Water Proof Flood Lights

FL100 100W

Model	Current	Voltages	LUMEN	Dimension	PF	Beam Angle	LED Colors
FL100	0.35 A	220 V	10000	L: 20.5 cm W:20.5 cm H:4 cm	0.9		
Number Of SMD	Case Material	Gland Material	Vent Material	Protection Rating	Lenz	40-80	
70	Aluminum	Steel	Steel	IP67	PC		

ORIT Model Super High Lumen SMD 50W Projector



Outdoor Water Proof Flood Lights

FL50 50W

Model	Current	Voltages	LUMEN	Dimension	PF	Beam Angle	LED Colors
FL50	0.175 A	220 V	7000	L: 15 cm W:15.5 cm H:4 cm	0.9		
Number Of SMD	Case Material	Gland Material	Vent Material	Protection Rating	Lenz	40-80	
40	Aluminum	Steel	Steel	IP67	PC		

7.

POWER
SUPPLY

POWER SUPPLY
Waterproof Lights



POWER SUPPLY
Waterproof Lights



400 W POWER SUPPLY



Model	Input	Output	Output Power	Output Current	Working temperature	Protection rating	dimensions	Efficiency
ES-PS400	185-265 v	12 V	400 W	33 A	- 30°C +80 °C	Ip 44 (Resin-Filled)	22×6×3 cm	≥ 85%

LED CONTROLLER



Model	product Type	Working voltage	Working temperature	Output Current	Protection rating	dimensions
ES-RF 30	RGB RF Touch	Dc 5-24 V	- 20°C +60 °C	3×10 A (Max)	Ip 44	8.6×6×2.5 cm



240W POWER SUPPLY



Model	Input	Output	Output Power	Output Current	Working temperature	Protection rating	dimensions	Efficiency
ES-PS240	185-265 v	12 V	240 W	20 A	- 30°C +80 °C	Ip 44 (Resin-Filled)	18×5×2.5 cm	≥ 85%

120 W POWER SUPPLY



Model	Input	Output	Output Power	Output Current	Working temperature	Protection rating	dimensions	Efficiency
ES-PS120	185-265 v	12 V	120 W	10A	- 30°C +80 °C	Ip 44 (Resin-Filled)	14×5×2.5 cm	≥ 85%



Water Proof Lights
Manufacture

تولیدکننده
چراغ‌های ضد آب



کارخانه: تبریز، کیلومتر ۸
جاده تبریز کوی صنعتی
وحدت، ارتقا صنعت نور

Email: info@eslight.co

Web: www.eslight.co

Tel: +98 41 363 777 82

+98 41 363 733 71

Instagram: [e.s.light](https://www.instagram.com/e.s.light)

